

Log Instalasi ISPConfig

```
Creating config file /etc/php5/mods-available/readline.ini with new version
php5_invoke: Enable module readline for cli SAPI
php5_invoke: Enable module readline for apache2 SAPI
Setting up phpmyadmin (4:4.2.12-2+deb8u2) ...
dbconfig-common: writing config to /etc/dbconfig-common/phpmyadmin.conf

Creating config file /etc/dbconfig-common/phpmyadmin.conf with new version

Creating config file /etc/phpmyadmin/config-db.php with new version
ERROR 2002 (HY000): Can't connect to local MySQL server through socket
'/var/run/mysqld/mysqld.sock' (2).
unable to connect to mysql server.
error encountered creating user:
ERROR 2002 (HY000): Can't connect to local MySQL server through socket
'/var/run/mysqld/mysqld.sock' (2)
dbconfig-common: phpmyadmin configure: ignoring errors from here forwards
populating database via sql... done.
dbconfig-common: flushing administrative password
apache2_invoke: Enable configuration phpmyadmin
[ ok ] Reloading web server: apache2.
[ ok ] Reloading web server: apache2.
Processing triggers for libc-bin (2.19-18) ...
Processing triggers for libapache2-mod-php5 (5.6.24+dfsg-0+deb8u1) ...
root@ispconfig-sam:/home/samsul# mysql -u root -pmaarif
ERROR 2002 (HY000): Can't connect to local MySQL server through socket
'/var/run/mysqld/mysqld.sock' (2)
root@ispconfig-sam:/home/samsul# service mysql start
mysql: unrecognized service
root@ispconfig-sam:/home/samsul# apt-get install mysql-server
Reading package lists... Done
Building dependency tree
Reading state information... Done
The following extra packages will be installed:
  libaio1 libhtml-template-perl mysql-server-5.5 mysql-server-core-5.5
Suggested packages:
  libipc-sharedcache-perl tinyca
The following NEW packages will be installed:
  libaio1 libhtml-template-perl mysql-server mysql-server-5.5 mysql-server-
core-5.5
0 upgraded, 5 newly installed, 0 to remove and 97 not upgraded.
Need to get 5339 kB of archives.
After this operation, 53.0 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://security.debian.org/ jessie/updates/main mysql-server-core-5.5
amd64 5.5.50-0+deb8u1 [3414 kB]
Get:2 http://ftp.debian.org/debian/ jessie/main libaio1 amd64 0.3.110-1
[9312 B]
```

```
Get:3 http://ftp.debian.org/debian/ jessie/main libhtml-template-perl all
2.95-1 [66.8 kB]
Get:4 http://security.debian.org/ jessie/updates/main mysql-server-5.5 amd64
5.5.50-0+deb8u1 [1769 kB]
Get:5 http://security.debian.org/ jessie/updates/main mysql-server all
5.5.50-0+deb8u1 [80.0 kB]
Fetched 5339 kB in 6s (884 kB/s)
Preconfiguring packages ...
Selecting previously unselected package libaiol:amd64.
(Reading database ... 24031 files and directories currently installed.)
Preparing to unpack .../libaiol_0.3.110-1_amd64.deb ...
Unpacking libaiol:amd64 (0.3.110-1) ...
Selecting previously unselected package mysql-server-core-5.5.
Preparing to unpack .../mysql-server-core-5.5_5.5.50-0+deb8u1_amd64.deb ...
Unpacking mysql-server-core-5.5 (5.5.50-0+deb8u1) ...
Selecting previously unselected package mysql-server-5.5.
Preparing to unpack .../mysql-server-5.5_5.5.50-0+deb8u1_amd64.deb ...
Unpacking mysql-server-5.5 (5.5.50-0+deb8u1) ...
Selecting previously unselected package libhtml-template-perl.
Preparing to unpack .../libhtml-template-perl_2.95-1_all.deb ...
Unpacking libhtml-template-perl (2.95-1) ...
Selecting previously unselected package mysql-server.
Preparing to unpack .../mysql-server_5.5.50-0+deb8u1_all.deb ...
Unpacking mysql-server (5.5.50-0+deb8u1) ...
Processing triggers for man-db (2.7.0.2-5) ...
Setting up libaiol:amd64 (0.3.110-1) ...
Setting up mysql-server-core-5.5 (5.5.50-0+deb8u1) ...
Setting up mysql-server-5.5 (5.5.50-0+deb8u1) ...
[ ok ] Stopping MySQL database server: mysqld.
160810 3:19:39 [Warning] Using unique option prefix key_buffer instead of
key_buffer_size is deprecated and will be removed in a future release.
Please use the full name instead.
160810 3:19:39 [Note] /usr/sbin/mysqld (mysqld 5.5.50-0+deb8u1) starting as
process 7121 ...
[ ok ....] Starting MySQL database server: mysqld ..
[info] Checking for tables which need an upgrade, are corrupt or were
not closed cleanly..
Setting up libhtml-template-perl (2.95-1) ...
Setting up mysql-server (5.5.50-0+deb8u1) ...
Processing triggers for libc-bin (2.19-18) ...
root@ispconfig-sam:/home/samsul# cd /tmp
root@ispconfig-sam:/tmp# wget --no-check-certificate
https://github.com/servisys/ispconfig_setup/archive/master.zip
converted 'https://github.com/servisys/ispconfig_setup/archive/master.zip'
(ANSI_X3.4-1968) ->
'https://github.com/servisys/ispconfig_setup/archive/master.zip' (UTF-8)
--2016-08-10 03:21:45--
https://github.com/servisys/ispconfig_setup/archive/master.zip
Resolving github.com (github.com)... 192.30.253.113
Connecting to github.com (github.com)|192.30.253.113|:443... connected.
WARNING: The certificate of 'github.com' is not trusted.
```

```
WARNING: The certificate of 'github.com' hasn't got a known issuer.
HTTP request sent, awaiting response... 302 Found
Location: https://codeload.github.com/servisys/ispconfig_setup/zip/master
[following]
converted 'https://codeload.github.com/servisys/ispconfig_setup/zip/master'
(ANSI_X3.4-1968) ->
'https://codeload.github.com/servisys/ispconfig_setup/zip/master' (UTF-8)
--2016-08-10 03:21:47--
https://codeload.github.com/servisys/ispconfig_setup/zip/master
Resolving codeload.github.com (codeload.github.com)... 192.30.253.121
Connecting to codeload.github.com
(codeload.github.com)|192.30.253.121|:443... connected.
WARNING: The certificate of 'codeload.github.com' is not trusted.
WARNING: The certificate of 'codeload.github.com' hasn't got a known issuer.
HTTP request sent, awaiting response... 200 OK
Length: unspecified [application/zip]
Saving to: 'master.zip'
```

```
master.zip          [  <=>
] 92.82K  162KB/s  in 0.6s
```

```
2016-08-10 03:21:48 (162 KB/s) - 'master.zip' saved [95049]
```

```
root@ispconfig-sam:/tmp# apt-get install unzip
Reading package lists... Done
Building dependency tree
Reading state information... Done
Suggested packages:
  zip
The following NEW packages will be installed:
  unzip
0 upgraded, 1 newly installed, 0 to remove and 97 not upgraded.
Need to get 162 kB of archives.
After this operation, 347 kB of additional disk space will be used.
Get:1 http://ftp.debian.org/debian/ jessie/main unzip amd64 6.0-16+deb8u2
[162 kB]
Fetched 162 kB in 1s (109 kB/s)
Selecting previously unselected package unzip.
(Reading database ... 24232 files and directories currently installed.)
Preparing to unpack ../unzip_6.0-16+deb8u2_amd64.deb ...
Unpacking unzip (6.0-16+deb8u2) ...
Processing triggers for mime-support (3.58) ...
Processing triggers for man-db (2.7.0.2-5) ...
Setting up unzip (6.0-16+deb8u2) ...
root@ispconfig-sam:/tmp# ls
master.zip
root@ispconfig-sam:/tmp# unzip master.zip
Archive:  master.zip
c4c1b1f5a56c5bfb3f9d14130e488750d56244c
  creating:  ispconfig_setup-master/
  inflating:  ispconfig_setup-master/.gitattributes
```

```
extracting: ispconfig_setup-master/.gitignore
  inflating: ispconfig_setup-master/CHANGELOG.txt
  inflating: ispconfig_setup-master/LICENSE
  inflating: ispconfig_setup-master/README.md
  inflating: ispconfig_setup-master/T0-D0.md
extracting: ispconfig_setup-master/contributors.txt
  creating: ispconfig_setup-master/distros/
  creating: ispconfig_setup-master/distros/centos7/
  inflating: ispconfig_setup-master/distros/centos7/askquestions.sh
  inflating: ispconfig_setup-master/distros/centos7/install_antivirus.sh
  inflating: ispconfig_setup-master/distros/centos7/install_basics.sh
  inflating: ispconfig_setup-master/distros/centos7/install_bind.sh
  inflating: ispconfig_setup-master/distros/centos7/install_fail2ban.sh
  inflating: ispconfig_setup-master/distros/centos7/install_fix.sh
  inflating: ispconfig_setup-master/distros/centos7/install_ftp.sh
  inflating: ispconfig_setup-master/distros/centos7/install_ispconfig.sh
  inflating: ispconfig_setup-master/distros/centos7/install_jailkit.sh
  inflating: ispconfig_setup-master/distros/centos7/install_mta.sh
  inflating: ispconfig_setup-master/distros/centos7/install_mysql.sh
  inflating: ispconfig_setup-master/distros/centos7/install_postfix.sh
  inflating: ispconfig_setup-master/distros/centos7/install_quota.sh
  inflating: ispconfig_setup-master/distros/centos7/install_webmail.sh
  inflating: ispconfig_setup-master/distros/centos7/install_webserver.sh
  inflating: ispconfig_setup-master/distros/centos7/install_webstats.sh
  inflating: ispconfig_setup-master/distros/centos7/preinstallcheck.sh
  creating: ispconfig_setup-master/distros/debian7/
  inflating: ispconfig_setup-master/distros/debian7/askquestions.sh
  inflating: ispconfig_setup-master/distros/debian7/install_antivirus.sh
  inflating: ispconfig_setup-master/distros/debian7/install_basics.sh
  inflating: ispconfig_setup-master/distros/debian7/install_bind.sh
  inflating: ispconfig_setup-master/distros/debian7/install_fail2ban.sh
  inflating: ispconfig_setup-master/distros/debian7/install_fix.sh
  inflating: ispconfig_setup-master/distros/debian7/install_ftp.sh
  inflating: ispconfig_setup-master/distros/debian7/install_ispconfig.sh
  inflating: ispconfig_setup-master/distros/debian7/install_jailkit.sh
  inflating: ispconfig_setup-master/distros/debian7/install_mta.sh
  inflating: ispconfig_setup-master/distros/debian7/install_mysql.sh
  inflating: ispconfig_setup-master/distros/debian7/install_postfix.sh
  inflating: ispconfig_setup-master/distros/debian7/install_quota.sh
  inflating: ispconfig_setup-master/distros/debian7/install_webmail.sh
  inflating: ispconfig_setup-master/distros/debian7/install_webserver.sh
  inflating: ispconfig_setup-master/distros/debian7/install_webstats.sh
  inflating: ispconfig_setup-master/distros/debian7/preinstallcheck.sh
  creating: ispconfig_setup-master/distros/debian8/
  inflating: ispconfig_setup-master/distros/debian8/askquestions.sh
  inflating: ispconfig_setup-
master/distros/debian8/askquestions_multiserver.sh
  inflating: ispconfig_setup-master/distros/debian8/install_antivirus.sh
  inflating: ispconfig_setup-master/distros/debian8/install_basephp.sh
  inflating: ispconfig_setup-master/distros/debian8/install_basics.sh
  inflating: ispconfig_setup-master/distros/debian8/install_bind.sh
```

```
inflating: ispconfig_setup-master/distros/debian8/install_fail2ban.sh
inflating: ispconfig_setup-master/distros/debian8/install_fix.sh
inflating: ispconfig_setup-master/distros/debian8/install_ftp.sh
inflating: ispconfig_setup-master/distros/debian8/install_ispconfig.sh
inflating: ispconfig_setup-master/distros/debian8/install_ispconfigbeta.sh
inflating: ispconfig_setup-master/distros/debian8/install_jailkit.sh
inflating: ispconfig_setup-master/distros/debian8/install_mta.sh
inflating: ispconfig_setup-master/distros/debian8/install_mysql.sh
inflating: ispconfig_setup-master/distros/debian8/install_postfix.sh
inflating: ispconfig_setup-master/distros/debian8/install_quota.sh
inflating: ispconfig_setup-master/distros/debian8/install_webmail.sh
inflating: ispconfig_setup-master/distros/debian8/install_webserver.sh
inflating: ispconfig_setup-master/distros/debian8/install_webstats.sh
inflating: ispconfig_setup-master/distros/debian8/preinstallcheck.sh
  creating: ispconfig_setup-master/distros/ubuntu-14.04/
inflating: ispconfig_setup-master/distros/ubuntu-14.04/askquestions.sh
inflating: ispconfig_setup-
master/distros/ubuntu-14.04/install_antivirus.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_basephp.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_basics.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_bind.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_fail2ban.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_fix.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_ftp.sh
  inflating: ispconfig_setup-
master/distros/ubuntu-14.04/install_ispconfig.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_jailkit.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_mta.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_mysql.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_postfix.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_quota.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_webmail.sh
  inflating: ispconfig_setup-
master/distros/ubuntu-14.04/install_webserver.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/install_webstats.sh
  inflating: ispconfig_setup-master/distros/ubuntu-14.04/preinstallcheck.sh
  creating: ispconfig_setup-master/distros/ubuntu-15.10/
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/askquestions.sh
  inflating: ispconfig_setup-
master/distros/ubuntu-15.10/install_antivirus.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_basephp.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_basics.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_bind.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_fail2ban.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_fix.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_ftp.sh
  inflating: ispconfig_setup-
master/distros/ubuntu-15.10/install_ispconfig.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_jailkit.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_mta.sh
  inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_mysql.sh
```

```
inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_postfix.sh
inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_quota.sh
inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_webmail.sh
inflating: ispconfig_setup-
master/distros/ubuntu-15.10/install_webserver.sh
inflating: ispconfig_setup-master/distros/ubuntu-15.10/install_webstats.sh
inflating: ispconfig_setup-master/distros/ubuntu-15.10/preinstallcheck.sh
creating: ispconfig_setup-master/font/
inflating: ispconfig_setup-master/font/straight.flf
creating: ispconfig_setup-master/functions/
inflating: ispconfig_setup-master/functions/check_linux.sh
inflating: ispconfig_setup-master/install.sh
root@ispconfig-sam:/tmp# cd ispconfig_setup-master/
root@ispconfig-sam:/tmp/ispconfig_setup-master# ls
CHANGELOG.txt LICENSE README.md TO-DO.md contributors.txt distros
font functions install.sh
root@ispconfig-sam:/tmp/ispconfig_setup-master# ls -la
total 84
drwxr-xr-x 5 root root 4096 Jul 22 04:30 .
drwxrwxrwt 5 root root 4096 Aug 10 03:22 ..
-rw-r--r-- 1 root root 380 Jul 22 04:30 .gitattributes
-rw-r--r-- 1 root root 26 Jul 22 04:30 .gitignore
-rw-r--r-- 1 root root 3214 Jul 22 04:30 CHANGELOG.txt
-rw-r--r-- 1 root root 31944 Jul 22 04:30 LICENSE
-rw-r--r-- 1 root root 3249 Jul 22 04:30 README.md
-rw-r--r-- 1 root root 585 Jul 22 04:30 TO-DO.md
-rw-r--r-- 1 root root 17 Jul 22 04:30 contributors.txt
drwxr-xr-x 7 root root 4096 Jul 22 04:30 distros
drwxr-xr-x 2 root root 4096 Jul 22 04:30 font
drwxr-xr-x 2 root root 4096 Jul 22 04:30 functions
-rwxr-xr-x 1 root root 8018 Jul 22 04:30 install.sh
root@ispconfig-sam:/tmp/ispconfig_setup-master# ./install.sh
Checking your system, please wait...
[][3;J
Welcome to ISPConfig Setup Script v.2.1.0
This software is developed by Temporini Matteo
with the support of the community.
You can visit my website at the followings URLs
http://www.servisys.it http://www.temporini.net
and contact me with the following information
contact email/hangout: temporini.matteo@gmail.com
skype: matteo.temporini
=====
ISPConfig 3 System installer
=====

This script will do a nearly unattended intallation of
all software needed to run ISPConfig 3.
When this script starts running, it'll keep going all the way
So before you continue, please make sure the following checklist is ok:
```

- This is a clean standard clean installation for supported systems
- Internet connection is working properly

The detected Linux Distribution is: Debian GNU/Linux 8 (jessie)

Is this correct? (y/n)y

Checking internet connection... OK

Installing pre-required packages

Updating apt and upgrading currently installed packages... [DONE]

Installing basic packages...

Reconfigure dash... [DONE]

Installing MySQL... [DONE]

Installing Apache and Modules... [DONE]

Installing PHP and Modules... [DONE]

Installing needed Programs for PHP and Apache... [DONE]

=====
=====

Attention: When asked 'Configure database for phpmyadmin with dbconfig-common?' select 'NO'

Due to a bug in dbconfig-common, this can't be automated.

=====
=====

Press ENTER to continue...

Installing phpMyAdmin... Reading package lists...

Building dependency tree...

Reading state information...

phpmyadmin is already the newest version.

0 upgraded, 0 newly installed, 0 to remove and 0 not upgraded.

[DONE]

Installing XCache... [DONE]

Activating Apache2 Modules... [DONE]

[DONE]

Installing PureFTPd... Generating a 2048 bit RSA private key

.....+++

.....+++

writing new private key to '/etc/ssl/private/pure-ftp.pem'

No value provided for Subject Attribute C, skipped

```
No value provided for Subject Attribute ST, skipped
No value provided for Subject Attribute L, skipped
No value provided for Subject Attribute O, skipped
No value provided for Subject Attribute OU, skipped
[DONE]

Installing and initializing Quota (this might take while)... mount: cannot
remount /dev/mapper/pve-vm--103--disk--1 read-write, is write-protected
[DONE]

Installing Jailkit... [DONE]

Installing Webmail client (roundcube)... W: Failed to fetch
http://203.130.243.185/debian/dists/jessie/non-free/binary-amd64/Packages
404 Not Found

E: Some index files failed to download. They have been ignored, or old ones
used instead.
[DONE]

Checking and disabling Sendmail...
Installing Postfix... [DONE]

Installing Dovecot... [DONE]

Installing Anti-Virus utilities... (This take some time. Don't abort it ...)
Stopping Spamassassin ... Stopping SpamAssassin Mail Filter Daemon: No
/usr/sbin/spamd found running; none killed.
spamd.
[DONE]

Disable Spamassassin ... Synchronizing state for spamassassin.service with
sysvinit using update-rc.d...
Executing /usr/sbin/update-rc.d spamassassin defaults
Executing /usr/sbin/update-rc.d spamassassin disable
insserv: warning: current start runlevel(s) (empty) of script `spamassassin'
overrides LSB defaults (2 3 4 5).
insserv: warning: current stop runlevel(s) (0 1 2 3 4 5 6) of script
`spamassassin' overrides LSB defaults (0 1 6).
[DONE]

Updating ClamAV. Please Wait ... ClamAV update process started at Wed Aug 10
03:46:41 2016
Downloading main.cvd [100%]
main.cvd updated (version: 57, sigs: 4218790, f-level: 60, builder:
amishhammer)
Downloading daily.cvd [100%]
daily.cvd updated (version: 22060, sigs: 498207, f-level: 63, builder: neo)
Downloading bytecode.cvd [100%]
bytecode.cvd updated (version: 283, sigs: 53, f-level: 63, builder: neo)
Database updated (4717050 signatures) from db.local.clamav.net (IP:
```

```

198.50.172.102)
WARNING: Clamd was NOT notified: Can't connect to clamd through
/var/run/clamav/clamdctl: No such file or directory
Restarting ClamAV... Stopping ClamAV daemon: clamd.
Starting ClamAV daemon: clamd .
[DONE]

Installing Bind9... [DONE]

Installing stats... [DONE]

Installing fail2ban... [DONE]

Installing ISPConfig3...
converted 'http://www.ispconfig.org/downloads/ISPConfig-3-stable.tar.gz'
(ANSI_X3.4-1968) ->
'http://www.ispconfig.org/downloads/ISPConfig-3-stable.tar.gz' (UTF-8)
--2016-08-10 03:53:39--
http://www.ispconfig.org/downloads/ISPConfig-3-stable.tar.gz
Resolving www.ispconfig.org (www.ispconfig.org)... 104.25.54.32,
104.25.55.32
Connecting to www.ispconfig.org (www.ispconfig.org)|104.25.54.32|:80...
connected.
HTTP request sent, awaiting response... 200 OK
Length: 2500184 (2.4M) [application/octet-stream]
Saving to: 'ISPConfig-3-stable.tar.gz'

```

0K	2%	97.2K	25s
50K	4%	173K	19s
100K	6%	198K	16s
150K	8%	225K	14s
200K	10%	1.01M	12s
250K	12%	170K	12s
300K	14%	214M	10s
350K	16%	4.80M	8s
400K	18%	1.38M	7s
450K	20%	418K	7s
500K	22%	1.32M	6s
550K	24%	1.73M	6s
600K	26%	1.30M	5s
650K	28%	216K	5s
700K	30%	166M	5s
750K	32%	330M	4s
800K	34%	294K	4s
850K	36%	1.71M	4s
900K	38%	1.68M	4s
950K	40%	1.91M	3s
1000K	43%	1.02M	3s
1050K	45%	3.20M	3s
1100K	47%	456K	3s
1150K	49%	4.43M	3s

Operating System: Debian 8.0 (Jessie) or compatible

Following will be a few questions for primary configuration so be careful.

Default values are in [brackets] and can be accepted with <ENTER>. Tap in "quit" (without the quotes) to stop the installer.

Generating a 4096 bit RSA private key

.....++
.....++
writing new private key to 'smtpd.key'

No value provided for Subject Attribute C, skipped
No value provided for Subject Attribute ST, skipped
No value provided for Subject Attribute L, skipped
No value provided for Subject Attribute O, skipped
No value provided for Subject Attribute OU, skipped

Configuring Jailkit
Configuring Dovecot
Configuring Spamassassin
Configuring Amavisd
Configuring Getmail
Configuring Pureftpd
Failed to get D-Bus connection: Unknown error -1
Configuring BIND
Configuring Apache
Configuring Vlogger
Configuring Apps vhost
Configuring Bastille Firewall
Configuring Fail2ban
Installing ISPConfig

Generating RSA private key, 4096 bit long modulus

.++
.....
.....++

e is 65537 (0x10001)
No value provided for Subject Attribute C, skipped
No value provided for Subject Attribute ST, skipped
No value provided for Subject Attribute L, skipped
No value provided for Subject Attribute O, skipped

```
No value provided for Subject Attribute OU, skipped
writing RSA key
Configuring DBServer
Installing ISPConfig crontab
no crontab for root
no crontab for getmail
Restarting services ...
Failed to get D-Bus connection: Unknown error -1
Failed to get D-Bus connection: Unknown error -1
Failed to get D-Bus connection: Unknown error -1
Failed to get D-Bus connection: Unknown error -1
Failed to get D-Bus connection: Unknown error -1
Failed to get D-Bus connection: Unknown error -1
Installation completed.
Restarting web server: apache2AH00548: NameVirtualHost has no effect and
will be removed in the next release /etc/apache2/sites-enabled/000-
ispconfig.conf:62
.
Well done ISPConfig installed and configured correctly :D
Now you can connect to your ISPConfig installation at
https://ispconfig-sam.smtika.ispconfig:8080 or https://IP_ADDRESS:8080
You can visit my GitHub profile at
https://github.com/servisys/ispconfig_setup/
root@ispconfig-sam:/tmp/ispconfig_setup-master#
```

From:
<https://wiki.samsul.web.id/> - **Samsul Maarif**

Permanent link:
<https://wiki.samsul.web.id/linux/Log.Instalasi.ISPConfig>

Last update: **2020/12/14 20:13**

