

Recipient address rejected: Intentional policy rejection, please try again later;

kendalanya seperti di judul, get the log

```
root@mail:~/iRedMail-0.9.9# grep otherserver.id /var/log/mail.log
Sep 30 09:03:21 mail amavis[19645]: (19645-01) Passed CLEAN
{RelayedInternal}, ORIGINATING LOCAL [103.193.119.145]:55458
[103.193.119.145] <user1@myserver.id> -> <haris@otherserver.id>, Queue-ID:
46hQfc1HPDz5rVc, Message-ID: <f6d836fc-afda-59c8-941c-
f30908be42ff@myserver.id>, mail_id: btSvKsvv2JPv, Hits: -0.899, size: 3647,
queued_as: 46hQfd2BHKz5rVd, dkim_new=dkim:myserver.id, 1018 ms, Tests:
[ALL_TRUSTED=-1,HTML_MESSAGE=0.001,MIME_HTML_ONLY=0.1]
Sep 30 09:03:21 mail postfix/amavis/smtp[3560]: 46hQfc1HPDz5rVc:
to=<haris@otherserver.id>, relay=127.0.0.1[127.0.0.1]:10026, delay=1.2,
delays=0.15/0.05/0.01/1, dsn=2.0.0, status=sent (250 2.0.0 from
MTA(smtp:[127.0.0.1]:10025): 250 2.0.0 Ok: queued as 46hQfd2BHKz5rVd)
Sep 30 09:03:31 mail postfix/smtp[3580]: Trusted TLS connection established
to mail.otherserver.id[192.185.28.228]:25: TLSv1.2 with cipher ECDHE-RSA-
AES256-GCM-SHA384 (256/256 bits)
Sep 30 09:03:38 mail postfix/smtp[3580]: 46hQfd2BHKz5rVd:
to=<haris@otherserver.id>, relay=mail.otherserver.id[192.185.28.228]:25,
delay=17, delays=0.03/0.07/11/6.2, dsn=2.0.0, status=sent (250 OK
id=1iEl2H-002VMf-95)
Sep 30 11:27:31 mail postfix/smtpd[10301]: NOQUEUE: reject: RCPT from
gateway20.websitewelcome.com[192.185.61.9]: 451 4.7.1 <dendy@myserver.id>:
Recipient address rejected: Intentional policy rejection, please try again
later; from=<haris@otherserver.id> to=<dendy@myserver.id> proto=ESMTP
helo=<gateway20.websitewelcome.com>
Sep 30 11:47:54 mail postfix/smtpd[11251]: NOQUEUE: reject: RCPT from
gateway20.websitewelcome.com[192.185.53.25]: 451 4.7.1 <dendy@myserver.id>:
Recipient address rejected: Intentional policy rejection, please try again
later; from=<haris@otherserver.id> to=<dendy@myserver.id> proto=ESMTP
helo=<gateway20.websitewelcome.com>
Sep 30 12:12:47 mail postfix/cleanup[12394]: 46hVsC0YJCz5rVf: message-
id=<48D90F04-B3D3-48C1-8506-702ECDFB52E6@otherserver.id>
Sep 30 12:12:48 mail postfix/qmgr[31077]: 46hVsC0YJCz5rVf:
from=<haris@otherserver.id>, size=352419, nrcpt=1 (queue active)
Sep 30 12:12:52 mail postfix/cleanup[12394]: 46hVsJ1zzKz5rVg: message-
id=<48D90F04-B3D3-48C1-8506-702ECDFB52E6@otherserver.id>
Sep 30 12:12:52 mail postfix/qmgr[31077]: 46hVsJ1zzKz5rVg:
from=<haris@otherserver.id>, size=352991, nrcpt=1 (queue active)
Sep 30 12:12:52 mail amavis[19644]: (19644-07) Passed CLEAN
{RelayedInbound}, [192.185.53.25]:41034 [192.185.2.34]
<haris@otherserver.id> -> <dendy@myserver.id>, Queue-ID: 46hVsC0YJCz5rVf,
Message-ID: <48D90F04-B3D3-48C1-8506-702ECDFB52E6@otherserver.id>, mail_id:
JbLaVAop8g9S, Hits: -0.201, size: 352419, queued_as: 46hVsJ1zzKz5rVg,
dkim_sd=default:otherserver.id, 4132 ms, Tests:
```

```
[DKIM_SIGNED=0.1,DKIM_VALID=-0.1,DKIM_VALID_AU=-0.1,DKIM_VALID_EF=-0.1,HTML_MESSAGE=0.001,SPF_HELO_PASS=-0.001,SPF_PASS=-0.001]
```

add to whitelist

```
root@mail:~/iRedAdmin-0.9.7# python
/opt/iredapd/tools/spf_to_greylis...whitelists.py --submit otherserver.id
* 1 mail domains in total.
  + [otherserver.id]
* Store domain names in SQL database as greylisting whitelists.
root@mail:~/iRedAdmin-0.9.7# python
/opt/iredapd/tools/spf_to_greylis...whitelists.py
* Query SQL server to get mail domain names.
* 46 mail domains in total.
  + [amazon.com]
  + [aol.com]
  + [cloudfiltering.com]
  + [cloudflare.com]
  + [constantcontact.com]
  + [craigslist.org]
  + [cust-spf.exacttarget.com]
  + [ebay.com]
  + [exacttarget.com]
  + [facebook.com]
  + [facebookmail.com]
  + [fbmta.com]
  + [fishbowl.com]
  + [github.com]
  + [gmx.com]
  + [google.com]
  + [hotmail.com]
  + [icloud.com]
  + [icontact.com]
  + [inbox.com]
  + [instagram.com]
  + [iredmail.org]
  + [linkedin.com]
  + [mail.com]
  + [mailchimp.com]
  + [mailgun.com]
  + [mailjet.com]
  + [messagelabs.com]
  + [microsoft.com]
  + [outlook.com]
  + [paypal.com]
  + [pinterest.com]
  + [otherserver.id]
  + [reddit.com]
  + [salesforce.com]
```

```
+ [sbcglobal.net]
+ [sendgrid.com]
+ [serverfault.com]
+ [stackoverflow.com]
+ [tumblr.com]
+ [twitter.com]
+ [yahoo.com]
+ [yandex.ru]
+ [zendesk.com]
+ [zoho.com]
```

disable greylisting

```
root@mail:~/iRedAdmin-0.9.7# python /opt/iredapd/tools/greylisting_admin.py
--disable --from '@otherserver.id'
* Disable greylisting: @otherserver.id -> @.
```

From:

<https://wiki.samsul.web.id/> - **Samsul Maarif**

Permanent link:

<https://wiki.samsul.web.id/linux/Mail.server.rejection.iRedMail>

Last update: **2020/12/14 20:13**

